


Ceiling




# *new* LENS LIGHTING

DESIGN  
DIV.

RETURN TO  
DESIGN DIV.

OCT 1 1942

Design Division



**A-22**


Claude Banks Company  
DETROIT








No. 1218A Recessed, Box tops hinged, Re-lamp from attic



**The Detroit News**  
The Only Afternoon Paper in Michigan With Associated Press Wirephoto Service  
Monday, November 29, 1939  
Page 16—The Home Newspaper  
**Mackenzie—The Last Word in Modern Educational Facilities**


**KIRLIN'S  
LENS  
LIGHTING**

**RECESSED — NOTHING HANGING**




**18" LENS UNIT**

Hinged for easy maintenance, outside of lens is smooth.



No. 1218A—300w med.—Box, 19 3/8" x 19 3/8" x 9" deep; frame, 20 3/8" x 20 3/8". List, \$67.50.  
No. 1218B—500w mogul, or 500-1000w bipost—Box, 19 3/8" x 19 3/8" x 13" deep. List, \$84.00.  
Standard finishes: Bright chrome, satin chrome, ground coat, or chrome door with ground coat frame, brushed cadmium.  
Extra for top of box hinged, \$6.00 list. Extra socket, \$3.00 list.  
Special units, or prices in groups, see page 15.

**SQUARE UNITS FOR SQUARE BAY DISTRIBUTION**  
THE NEW DIAGONAL PRISMS  
**LIGHT THE NEGLECTED CORNERS**




**SQUARE DISTRIBUTION, FROM SQUARE REFLECTORS FULL SIZE OF LENSES**



## VARIOUS LENSES USED IN STANDARD UNITS


Heat-resisting or pyrex pressed lenses of suitable refractive index, any desired distribution.



Standard Lens



Ribbed Lens




Projecting Lens, 1½"





Superior Efficiency  
Moderately Priced  
and  
Made in Production

2 wire connectors are included. Knockouts for 4" outlet box on side of recessed box are provided on Nos. 1208, 1212, 1218, 508. On others when ordered.

Install recessed boxes before lathing, on new work.



Section Nos. 1212, 1208, 1218A.




Genuine  
**GLASSURFACED**  
TRADE ALUMINUM MARK

Square reflectors cover all of interior for highest efficiency.


## STANDARD RECESSED UNITS CONCEALED HINGES & GLASSURFACED REFLECTORS

All units on this page with Und. Lab. labels  
may be had with extra socket for emergency or night light, see page 15




### STANDARD WIDE SPREAD LENS TYPES

- No. 1206½—60w Box, 7¾" x 7¾" x 5⅝" deep; frame, 8½" x 8½". — List \$11.85.  
No. 1206½D—60w as above except with Diamondot glass. — List \$10.50.  
No. 1208—150w Box, 9¼" x 9¼" x 5⅝" deep; frame, 10⅝" x 10⅝". — List \$18.90.  
No. 1212—300w med. box, 13¼" x 13¼" x 7¾" deep; frame, 14¼" x 14¼". List \$29.25.  
NOTE: Nos. 1206½ and 1218 not yet inspected by Und. Lab. 3-1-40.



### Standard concentrating type.


- No. 1409—150w Box, 9¾" x 9¾" x 5⅝" deep; frame, 10⅝" x 10⅝". List \$21.90.  
No. 1412—300w Box, 13¼" x 13¼" x 7¾" deep; frame, 14¼" x 14¼". List \$31.50.




### Projecting lens type, wide spread.

- No. 1308—150w Box, 9¼" x 9¼" x 5⅝" deep; frame, 10⅝" x 10⅝". List \$20.25.  
No. 1312—300w Box, 13¼" x 13¼" x 7¾" deep; frame, 14¼" x 14¼". List \$31.50.

Also made in  
Bronze or  
Aluminum  
See Page 15



- Wide spread projecting cased opal bowl.  
No. 1112—300w Box, 13¼" x 13¼" x 7¾"; frame, 14¼" x 14¼". List \$30.75.  
Glass projects, 3¼".



Ventilated,  
Use Larger Lamps

Easily  
Installed

Supplied with 2  
Wire Connectors,  
and KO for 4"


Outlet Box

Individually  
Packed

Patents  
Applied for

### Wide spread—center clear, for Jewelry.

- No. 1512—300w Box, 13¼" x 13¼" x 7¾" deep; frame, 14¼" x 14¼". List \$30.75.  
No. 1508—150w Box, 9¼" x 9¼" x 5⅝" deep; frame, 10⅝" x 10⅝". List \$20.25.



Multiple Units—any number in any shape group. Use price of individual unit to get group price; example, 4 unit group price 4 times individual unit price.

THE PART OF THE ELECTRICAL JOB THAT SHOWS IS THE LIGHTING


AMERICA LEADS IN LIGHTING

UNDERWRITERS' LABORATORIES, INC.  
INSPECTED UNWIRED  
RECESSED TYPE  
ELECTRIC FIXTURE  
ISSUE 1134

CLAUDE BANKS CO.  
3199 MONROE  
DETROIT  
MAXIMUM LAMP  
WATT.



## RECTANGULAR SHAPES, HINGED




No. 414—40wT8—12", Box,  $3\frac{7}{8}$ " x  $14\frac{3}{4}$ " x 4" deep; frame,  $4\frac{3}{4}$ " x  $15\frac{5}{8}$ ". List \$14.85.

No. 508—100w, Box,  $5\frac{1}{2}$ " x  $8\frac{1}{2}$ " x  $5\frac{1}{8}$ " deep; frame,  $6\frac{1}{8}$ " x  $9\frac{5}{8}$ ". List \$9.75.

No. 509—100w, Box,  $5\frac{1}{2}$ " x 9" x 6" deep; frame,  $6\frac{1}{2}$ " x  $10\frac{1}{8}$ ". List \$10.50.

No. 511—100w, Box, 6" x  $11\frac{3}{8}$ " x  $5\frac{1}{8}$ "; frame,  $6\frac{7}{8}$ " x  $12\frac{1}{4}$ ". List \$14.85.

Diamondot special diffusing glass in above units, GlasSurfaced reflector.



No. 508NL—Night Light, louvered, size of No. 508. List \$11.25.


### LOUVER DOOR TYPE UNITS—(No Glass)

No. 1208LE—Egg crate, List \$24.00. No. 1212LP—Parallel, List \$31.50.

No. 1208LP—Parallel, List \$21.75. No. 1218LE—Egg crate, List \$63.00.

No. 1212LE—Egg crate, List \$33.00. No. 1218LP—Parallel, List \$57.00.

Parallel louver angles may be at 90, 45, or 22 degrees. Sizes of units same as No. 1212.



No. 1208LP, listed above  
Finishes on page 15.




No. 3208GL—(illustrated) glass louver, 100w, Box size  $9\frac{3}{8}$ " dia. x  $5\frac{3}{4}$ " deep. List \$19.50.


No. 3208D—Same with spread type lens. List \$19.50.

No. 3208R—Same rectangular spread lens. List \$19.50.

No. 3208LE—Same with egg crate louver. List \$24.00.




4" KO, large enough to pass handi-box for Greenfield connection outside of recessed box if desired.



GUARDS—For No. 1208 add list \$ 6.00.  
For No. 1212 add list \$ 7.50.  
For No. 1218 add list \$13.50.

## SUSPENDED LENSES



No. 1712-2 (illustrated) Lenses 12" x 12" and 8" x 8", 150w, Box  $9\frac{1}{4}$ " x  $9\frac{1}{4}$ " x  $5\frac{5}{8}$ " deep, List \$33.00.

No. 1712, 12" lens unit only. List \$29.25.

No. 1718-2, 300w, 18" x 18" and 12" x 12" lenses, Box  $13\frac{1}{4}$ " x  $13\frac{1}{4}$ " x  $7\frac{3}{4}$ ". List \$54.00.

No. 1718—300w med. 18" lens unit only, List \$48.00.


### ROUND HINGED UNITS

with white enamel reflectors



No. 3214D—1-300w med., spread lens, Box  $14\frac{3}{4}$ " dia. x 8" deep. List \$45.00.

No. 3214C—same with concentrating lens, List \$45.00.



No. 3212D—1-200w, spread, Box 13" dia. x 7" deep. List \$33.00.

No. 3212C as above, concentrating lens, List \$36.00.




Individually packed.

## FREE HEAD-ROOM



DINING



BETTER LIGHTING IMPROVES THE ENTIRE ROOM





## BALL ROOM

WESTERN STATE NORMAL




INSTALLING



GLASS  
COLUMNS




LIGHT AND AIR DIFFUSER COMBINATION




## DELUXE RECESSED UNITS


HEAVY CAST PANELS—CONCEALED HINGES



No. 2308—Director, 2-200w, Box  $7\frac{3}{4}$ " x  $22\frac{1}{8}$ " x  $6\frac{1}{2}$ " deep, frame  $8\frac{1}{2}$ " x  $23\frac{3}{8}$ ". Light directed at 15 degree angle.  
List \$54.00.  
Fluorescent sockets supplied at same price.





No. 2214—Century, 4-200w (or fluorescent 18") Box  $13\frac{3}{8}$ " x  $21\frac{3}{8}$ " x  $7\frac{1}{2}$ " deep, frame  $14\frac{1}{4}$ " x  $22\frac{1}{4}$ ", cast ribbed panel 1" thick.  
List \$96.00.  
Reflector is GlasSurfaced Aluminum.




No. 717—Parallel, 2-150w (or 18" fluorescent) Box  $8\frac{1}{2}$ " x  $18\frac{7}{8}$ " x  $5\frac{1}{2}$ " deep.  
List \$33.00.

Any special size to order, see page 15.



No. 1616—Octagonal, 1-300w med., Box  $16\frac{1}{2}$ " x  $15\frac{1}{4}$ " x  $7\frac{1}{2}$ " deep.  
List \$78.00.



Any size or shape available and made to order promptly, more than one lens per frame if desired. Also in bronze. Fluorescent sockets provided on request. Finishes and prices page 15.

No. 2009—Futurist Wall Bracket (illustrated, with cross-section), 3 75w, Box  $7\frac{1}{4}$ " x  $18\frac{3}{8}$ " x  $6\frac{1}{8}$ ", frame  $8\frac{3}{8}$ " x  $19\frac{1}{4}$ ", List \$63.00.  
No. 2037—Pilaster (not illustrated). Same as above except  $36\frac{1}{2}$ " box, 6 75w, List \$108.00.



No. 2072—Tandem, 8 100w (or fluorescent). Box  $7\frac{1}{4}$ " x  $72\frac{1}{2}$ " x  $6\frac{1}{2}$ " deep, List \$165.00.

If it hasn't a Claude Banks label, it isn't a Claude Banks unit.



DESIGNS FOR PERMANENT EFFICIENCY BY IVAN KIRLIN





## SPECIAL SIZES AND DESIGNS


Any size rectangular shapes made to order promptly, using Diamondot or other sheet glass, GlasSurfaced aluminum reflectors, steel or bronze frame and hinged door, for fluorescent or incandescent lamps

or


Frosted plate, suspended,  $\frac{3}{4}$ " from ceiling, supported by knobs or straps, otherwise similar to above. Prices on page 15.




Suspended Plate (description above).



No. MM moulding, to add to recessed fixture when all or part is below ceiling. Sprayed finish only. Moulding only, for use with No. 1212 or smaller, List \$15.



No. 1212H—Surface unit, 2 150w, 12" lens, hinged, 20" x 20" x 6 $\frac{1}{2}$ " deep, lacquer finish with plated door. Cased opal side panels, GlasSurfaced liner, List \$54.00.




No. 2214H—Surface unit, 6 100w, top 30" x 22", bottom 22" x 14" hinged panel 1" thick, GlasSurfaced alum. liner. Plated finish. List \$120. Lacquer finish, plated door, List \$108.




Hinged Shallow Bowls.

No. 6010—10" glass, 10 $\frac{3}{4}$ " dia., 2 60w, List \$14.85.  
No. 6012—12" glass, 12 $\frac{3}{4}$ " dia., 3 60w, List \$17.85.  
No. 6014—14" glass, 14 $\frac{3}{4}$ " dia., 3 100w, List \$23.85.  
No. 6016—16" glass, 17" dia., 4 100w, List \$29.85.

Priced in Lacquer finishes, plated 10% extra. GlasSurfaced liner 25% extra.



Formed GlasSurfaced liner for highest efficiency.



Full Depth Bowls, no lamp spots.

No. 5010—10"x3 $\frac{1}{2}$ " glass, 2 75w, List \$8.70.  
No. 5012—12"x4" glass, 3 75w, List \$11.25.  
No. 5014—14"x4 $\frac{1}{2}$ " glass, 3 100w, List \$14.85.  
No. 5016—16"x5" glass, 4 150w, List \$21.75.


## INDIRECT TROUGH

No. 95A—Corinth, hangers approximately 4 ft. centers. 7" wide x 4 $\frac{3}{4}$ " deep any length, for 100w/ft. (or with sockets for fluorescents). Division straps 8 ft. centers. Lacquer finish, ivory suggested.



No. 95A—With GlasSurfaced continuous reflector, per ft., List \$12.75.

No. 95W—With white enamelled reflecting surface, per ft., List \$10.95.

May be had in other shapes and sizes.



Indirect Wall Type Recessed Unit with angle prism lens. No. 2308-2P (illustrated) for 2 300w lamps, with GlasSurfaced refl. Box 21 $\frac{1}{4}$ " x 13" x 7 $\frac{1}{8}$ " to back. Angle supports. List \$129.00.



No. 8804A—Parthenon, extruded aluminum—straight (no waves) in aluminited finish with GlasSurfaced alum. reflector, is the highest quality trough available. 100w 12" on centers, or with fluorescent sockets. Size shown in cross-section. Mitred ends. Hangers 4 ft. centers approx. 30 ft. or more, per ft., List \$25.50.

No. 8804S—Same as above, steel, lacquer finish, flat ends, over six ft. /ft., List \$13.50.

No. 8804WS—Steel, with white enamelled refl., over six ft. /ft., List \$11.25.



WWJ Auditorium  
Showing No. 8804A.



## FLUSH HINGED EXIT

ETCHED RUBY GLASS, RED WITH WHITE LETTERS  
(may be had white with red letters)


- No. 4505—5" letters, Box  $7\frac{5}{8}" \times 12\frac{1}{4}" \times 3\frac{1}{2}"$  deep. List \$13.50.  
No. 4506—6" letters, Box  $8\frac{5}{8}" \times 13\frac{1}{4}" \times 3\frac{1}{2}"$  deep. List \$13.50.

## "NO-GUARD" HINGED EXIT

Requires no guard in gym, as strong as the wall.

- No. 4515—5" letters, Box  $7\frac{5}{8}" \times 12\frac{1}{4}" \times 3\frac{1}{2}"$  deep. List \$26.40.  
No. 4516—6" letters, Box  $8\frac{5}{8}" \times 12\frac{1}{4}" \times 3\frac{1}{2}"$  deep. List \$26.40.

All exits priced with one socket; extra sockets, List \$1.20. Any lacquer finish. Plated finishes 10% extra.





## CLAUDE BANKS INTENSIFIER

For greater output from enclosed units.

Spinning of Glasurfaced diffuse finish rests on neck of glassware, and may be used with outside grip type holders only, to increase downward light UP TO 20%.

- No. 6500—For 6" fitters to 500w. List \$1.80.  
No. 6587—For 8" fitters to 1500w. List \$2.70.



AISLE LIGHT — fastens under arm of chair.  
No. 710 10w.  $2\frac{1}{2} \times 4\frac{7}{8}"$ .  
Lacquer finish, List \$6.90.

FLUORESCENT HOOD—with Glasurfaced V back reflector (without lamps or auxiliaries).

- No. 224—2 24" size  $10\frac{3}{4}" \times 24\frac{1}{2}" \times 8"$  deep, List \$27.75.



- No. 236—2 36" size  $10\frac{3}{4}" \times 36\frac{1}{2}" \times 8"$  deep, List \$33.75.

- No. 248—2 48" size  $10\frac{3}{4}" \times 48\frac{1}{2}" \times 9\frac{1}{2}"$  deep, List \$39.75.

(With porcelain enamelled reflector, deduct 15%)  
Provision in housing for attaching auxiliaries. Baked lacquer outside finish, standard color brown. Supported by two loops, or center pipe outlet  $\frac{1}{2}"$ .

- No. 90—Hi-Lite for show-rooms uses 2 18" lumiline lamps, 8' cord (minimum order for one make car, 12). List \$22.50.

FOR ALL MAKES OF CARS



Gym ceiling flush unit, unbreakable lens  
Priced on page 15.




- No. 3916—200-300w refl. Dia. 25" x  $11\frac{1}{2}"$  deep, 4 screws on  $24\frac{3}{8}"$  diam. List \$24.00.


- No. 3918—500w 18" refl. Dia. 30" x  $14\frac{1}{2}"$  deep, 6 screws on  $29\frac{1}{2}"$  dia. List \$34.50.

- No. 3920—1500w 20" refl. Dia.  $39\frac{1}{2}" \times 16\frac{1}{2}"$  deep, 6 brackets,  $31\frac{1}{2}"$  and  $26\frac{1}{2}"$  dia. List \$57.00.

Gym Surface Unit, all sizes with full 60 degree angle side flare, hinged guard 3" deep, porcelain dome refl. and cover socket. Heavy gauge steel, cream lacquer finish.  
No. 3914—150w 14" refl. Dia. 23" x 10" deep, 4 screws on  $22\frac{7}{16}"$  diam., List \$21.75.




No. 2009—Special corner type with fluorescent lamps



Flush 2-lens unit, not hinged, lenses lift and slide. White refl.

- No. 714—2-75w Box  $7" \times 13\frac{3}{8}" \times 6"$  deep, frame  $7\frac{1}{2}" \times 13\frac{3}{4}"$ , List \$12.90.




Heavy cast aluminum frame, aluminized. Prices page 15.



- No. 1560—Bronze trough unit, 2-100w, 4'h,  $4\frac{1}{2}"$  w,  $14\frac{1}{4}"$  long. Diamondot glass slides in end, white refl. surface. Lacquer finishes, List \$9.00, with sw. List \$9.75. Plated finish add 10%.

Frequently used under eaves of garages, in bank cages, etc. Feed wires enter back at center. Also available in longer units.



PRODUCTION CREATES STANDARDS OF PRICE AND QUALITY

HIGHEST QUALITY IN THE INDUSTRY



## USED BY

Healy Shops  
Ford Housing  
J. W. Knapp Co.  
Tick Tock Bars  
Olds Motor Co.  
J. L. Hudson Co.  
Cliff Bell Cafe  
Midland Schools  
McMillan Stores  
De Roy Memorial  
Mueller Brass Co.  
Wayne University  
LaChoy Products Co.  
Bundy Tubing Co.  
U. S. Post Offices  
St. Joseph Academy

Parke Davis & Co.  
WWJ Studios  
Fisher Body Corp.  
Carleton Schools  
Gaylord Hospital  
Paramount Studios  
University of Michigan  
Blue Water Bridge  
Detroit Boat Club  
Saginaw Fire Dept.  
City of Cincinnati  
General Motors Corp.  
Detroit Edison Co.  
Michigan State College  
Bay City Elks Club  
Sylvania, O., H. S.

Buick Motor Car Co.  
Purdue University  
Toledo State Hospital  
Detroit Fire Dept.  
Chevrolet Motor Co.  
Century of Progress  
Midland, Mich., H. S.  
WXYZ Studios  
Mt. Carmel Hospital  
National Decorating Co.  
State of Michigan (6)  
Detroit Yacht Club  
Hudson Motor Car Co.  
Gelatin Products Corp.  
Saginaw Mausoleum Co.  
Mountpelier, O., Schools

Ford Motor Co. (14 plants)  
Gilbertsville T.V.A. Dam  
W. S. Knudsen Residence  
L. A. Fisher Residence  
Culver Military Academy  
Saginaw Arthur Hill, H. S.  
Detroit City Schools (9)  
C. Hayward Murphy Residence  
Daniels Jewelry Stores  
Doylestown, (Pa.), Hospital  
U. S. Government Buildings  
Wn. State Teachers College  
Wisc. State Teachers College  
Grosse Pointe Yacht Club  
Mich. State College Field House  
Williamsburg, (Va.), Schools  
Detroit Salvation Army Citadel  
*Underwriters Lab., Chicago*



### SALES ENGINEERS IN PRINCIPAL CITIES

### STANDARD UNITS HAVE UND. LAB. LABELS


*Prices subject to customary glass and fixture discounts.*

### LIGHT OPTICS AND UTILIZATION

Fine lighting equipment is available, using highest grade glass for refracting light, and most suitable reflecting media.

But adapting physical properties of materials available to specific lighting units, with production accuracy, does not in itself assure the best effect in every installation. It requires intelligent application to each individual job to be most satisfactory. May we aid you with your problems?

GlasSurfaced Aluminum Reflectors Make the light whiter.



## PRICES ON SPECIAL FEATURES

PRICES for SPECIAL SIZE recessed hinged units (page 10), figure list prices as follows: \$14.00 set-up charge, plus \$6.00/ft. around periphery of recessed box, Diamonddot sheet glass. With suspended glass panel, add 10% to above list price for each panel.

MULTIPLE UNITS: Groups of two or more hinged lenses and reflector, in one recessed box, take same list as equal number of individual units. (4 lens group take 4 times price of similar single lens unit, etc.)

BRONZE METAL FRAMES, on recessed units, add 30%. If plated, 40%. Cast aluminum on No. 1212, add \$6.00 list. If alumilited, add \$12.00 list.

STANDARD FINISHES for recessed units: polished or satin chrome, or ground coat for painting. (Finest silver-chrome on copper and nickel base.) Ground coat frame with chrome door, brushed cadmium to match aluminum.

EXTRA SOCKETS for night light or emergency, in standard recessed units, with provision for same in reflector, add \$3.00 list each. Extra socket in exit light, add \$1.20 list.

TOP OF BOX REMOVABLE for relamping flush units in attic, add \$3.90 list each.

DOOR GASKETS to make recessed units vaporproof, add \$3.00 list each. LOUVERS priced on page 6, all sizes available.

SHATTERPROOF, Tuflex, Herculite, Shockproof clear glass, in addition to regular lens, add/sq. ft. \$11.25 list.

UNDERWRITERS LABORATORIES LABELS are on STANDARD recessed units, also wire connectors are supplied for branch circuit connection in box, and 4" KO on side for using outlet box if desired. Also individually boxed for shipment. Wire included where necessary but not connected to sockets.

### TERMS OF SALE

All shipments are made F.O.B. Detroit, Standard package 1.

TERMS: 30 days net, or 2% discount for cash allowed on invoices dated from the 1st to 15th inclusive, if paid by 25th of same month; and on invoices dated from 16th to last day of month, if paid not later than the 10th of following month.

SHIPMENTS are made in accordance with carriers rules, and at risk of purchaser. Claims for damage or loss must be filed with transportation company, for which we will furnish certified invoices.

C.O.D. or SIGHT DRAFT orders must be accompanied by remittance equal to 25% of net value of order. RETURNED MATERIAL will not be accepted unless authority for the return has been given, and this authority will not be given on goods out 90 days or more.

A minimum service charge of 10% is made on prepaid returns.

SALES TAXES or other political restrictions will be added when the manufacturer is obliged to assume same on shipments to any particular locality.

### LIGHTING SINCE 1895—YOUR GRANDFATHERS BOUGHT CARBON ARC LAMPS FROM US—

#### Semi-recessed fluorescent units being installed in cafeteria







Genuine

GLASSURFACED

TRADE

MARK

ALUMINUM



RETURN TO  
DESIGN DIV.

Claude Banks Company

Production Metal Manufacturing  
3199 MONROE AVE.  
DETROIT

Representatives in Principal Cities

Design Div.

Ceiling

A-22

NEW  
LENS LIGHTING

250



Claude Banks Company  
DETROIT

RETURN TO  
DESIGN DIV.

A. I. A. File 31 F.





OCT 1 1942

DESIGN

*Genuine*

**GLASSURFACED**

TRADE

MARK

**ALUMINUM**

RETURNED  
DESIGN

NEW ADDRESS

**THE KIRLIN COMPANY**

Former Name—Claude Banks Company

3435 EAST JEFFERSON AVENUE

DETROIT

Representatives in Principal Cities

DETROIT

FORM 40 LITHO IN U.S.A.